


In the claims:

1. (original) A compound of Formula I:



or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

a is 0 or 1;
b is 0 or 1;
m is 0, 1, or 2;
n is 0 or 1;
r is 0 or 1;
s is 0 or 1;
u is 2, 3, 4 or 5;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

R¹ is selected from:

- 1) (C₁-C₆-alkylene)_n(C=X)C₁-C₁₀ alkyl,
- 2) (C₁-C₆-alkylene)_n(C=X)aryl,
- 3) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkenyl,
- 4) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkynyl,
- 5) (C₁-C₆-alkylene)_n(C=X)C₃-C₈ cycloalkyl,
- 6) (C₁-C₆-alkylene)_n(C=X)heterocyclyl,

- 7) $(C_1-C_6\text{-alkylene})_n(C=X)NR^cR^c'$,
- 8) $(C_1-C_6\text{-alkylene})_nSO_2NR^cR^c'$,
- 9) $(C_1-C_6\text{-alkylene})_nSO_2C_1-C_{10}$ alkyl,
- 10) $(C_1-C_6\text{-alkylene})_nSO_2C_2-C_{10}$ alkenyl,
- 11) $(C_1-C_6\text{-alkylene})_nSO_2C_2-C_{10}$ alkynyl,
- 12) $(C_1-C_6\text{-alkylene})_nSO_2$ -aryl,
- 13) $(C_1-C_6\text{-alkylene})_nSO_2$ -heterocyclyl,
- 14) $(C_1-C_6\text{-alkylene})_nSO_2$ -C₃-C₈ cycloalkyl,
- 15) $(C_1-C_6\text{-alkylene})_nP(=O)R^dR^d'$,
- 16) aryl;
- 17) heterocyclyl; and
- 18) C₁-C₁₀ alkyl;

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² and R⁶ are independently selected from:

- 1) aryl,
- 2) C₁-C₆ aralkyl,
- 3) C₃-C₈ cycloalkyl, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R³, R⁴, R⁵, R⁷, R⁸, and R⁹ are independently selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 4) C₂-C₁₀ alkenyl,
- 5) C₂-C₁₀ alkynyl,
- 7) C₁-C₆ perfluoroalkyl,
- 8) C₁-C₆ aralkyl,

- 9) C₃-C₈ cycloalkyl, and
- 10) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰; or

R⁴ and R⁵, or R⁸ and R⁹, attached to the same carbon atom are combined to form -(CH₂)_u- wherein one of the carbon atoms is optionally replaced by a moiety selected from O, S(O)_m, -N(R^a)C(O)-, -N(R^b)- and -N(COR^a)-;

R¹⁰ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,
- 11) O_a(C=O)_bNR¹²R¹³,
- 12) S(O)_mR^a,
- 13) S(O)₂NR¹²R¹³,
- 14) oxo,
- 15) CHO,
- 16) (N=O)R¹²R¹³, or
- 17) (C=O)_aO_bC₃-C₈ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R¹¹;

R¹¹ is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,

- 2) $O_r(C_1-C_3)\text{perfluoroalkyl}$,
- 3) $(C_0-C_6)\text{alkylene-S(O)}_mR^a$,
- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) $(C=O)_rO_s(C_2-C_{10})\text{alkenyl}$,
- 9) $(C=O)_rO_s(C_2-C_{10})\text{alkynyl}$,
- 10) $(C=O)_rO_s(C_3-C_6)\text{cycloalkyl}$,
- 11) $(C=O)_rO_s(C_0-C_6)\text{alkylene-aryl}$,
- 12) $(C=O)_rO_s(C_0-C_6)\text{alkylene-heterocyclyl}$,
- 13) $(C=O)_rO_s(C_0-C_6)\text{alkylene-N(R}^b)_2$,
- 14) $C(O)R^a$,
- 15) $(C_0-C_6)\text{alkylene-CO}_2R^a$,
- 16) $C(O)H$,
- 17) $(C_0-C_6)\text{alkylene-CO}_2H$,
- 18) $C(O)N(R^b)_2$,
- 19) $S(O)_mR^a$, and
- 20) $S(O)_2N(R^b)_2$

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, $(C_1-C_6)\text{alkoxy}$, halogen, CO_2H , CN, $O(C=O)C_1-C_6\text{ alkyl}$, oxo, and $N(R^b)_2$;

R^{12} and R^{13} are independently selected from:

- 1) H,
- 2) $(C=O)O_bC_1-C_{10}\text{ alkyl}$,
- 3) $(C=O)O_bC_3-C_8\text{ cycloalkyl}$,
- 4) $(C=O)O_b\text{aryl}$,
- 5) $(C=O)O_b\text{heterocyclyl}$,
- 6) $C_1-C_{10}\text{ alkyl}$,
- 7) aryl,
- 8) $C_2-C_{10}\text{ alkenyl}$,

- 9) C₂-C₁₀ alkynyl,
- 10) heterocyclyl,
- 11) C₃-C₈ cycloalkyl,
- 12) SO₂R^a, and
- 13) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R¹¹, or

R¹² and R¹³ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 3-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R¹¹;

R¹⁴ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,
- 11) O_a(C=O)_bNR¹²R¹³,
- 12) S(O)_mR^a,
- 13) S(O)₂NR¹²R¹³,
- 14) oxo,
- 15) CHO,
- 16) (N=O)R¹²R¹³, or
- 17) (C=O)_aO_bC₃-C₈ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R¹¹;

R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl, optionally substituted with one to three substituents selected from R¹⁴;

R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a, optionally substituted with one to three substituents selected from R¹⁴;

R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl, optionally substituted with one, two or three substituents selected from R¹⁰, or R^c and R^{c'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 3-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;


R^d and R^{d'} are independently selected from: (C₁-C₆)alkyl, (C₁-C₆)alkoxy and NR^b₂, or

R^d and R^{d'} can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NR^e, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

R^e is selected from: H and (C₁-C₆)alkyl; and

X is selected from O, NR^e and S.

2. (original) The compound according to Claim 1 of the Formula I:



or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

- a is 0 or 1;
- b is 0 or 1;
- m is 0, 1, or 2;
- n is 0 or 1;
- r is 0 or 1;
- s is 0 or 1;
- u is 2, 3, 4 or 5;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

R¹ is selected from:

- 1) (C₁-C₆-alkylene)_n(C=X)C₁-C₁₀ alkyl,
- 2) (C₁-C₆-alkylene)_n(C=X)aryl,
- 3) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkenyl,
- 4) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkynyl,
- 5) (C₁-C₆-alkylene)_n(C=X)C₃-C₈ cycloalkyl,
- 6) (C₁-C₆-alkylene)_n(C=X)heterocyclyl,
- 7) (C₁-C₆-alkylene)_n(C=X)NR^cR^{c'},
- 8) (C₁-C₆-alkylene)_nSO₂NR^cR^{c'},
- 9) (C₁-C₆-alkylene)_nSO₂C₁-C₁₀ alkyl,
- 10) (C₁-C₆-alkylene)_nSO₂C₂-C₁₀ alkenyl,

- 11) $(C_1-C_6\text{-alkylene})_nSO_2C_2-C_{10}$ alkynyl,
- 12) $(C_1-C_6\text{-alkylene})_nSO_2$ -aryl,
- 13) $(C_1-C_6\text{-alkylene})_nSO_2$ -heterocyclyl,
- 14) $(C_1-C_6\text{-alkylene})_nSO_2-C_3-C_8$ cycloalkyl,
- 15) $(C_1-C_6\text{-alkylene})_nP(=O)R^dR^{d'}$,
- 16) aryl;
- 17) heterocyclyl; and
- 18) C_1-C_{10} alkyl;

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R^{10} ;

R^2 and R^6 are independently selected from:

- 1) aryl,
- 2) C_1-C_6 aralkyl,
- 3) C_3-C_8 cycloalkyl, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R^{10} ;

R^3 , R^4 , R^5 , R^7 , R^8 , and R^9 are independently selected from:

- 1) H,
- 2) C_1-C_{10} alkyl,
- 3) aryl,
- 4) C_2-C_{10} alkenyl,
- 5) C_2-C_{10} alkynyl,
- 6) C_1-C_6 perfluoroalkyl,
- 7) C_1-C_6 aralkyl,
- 8) C_3-C_8 cycloalkyl, and
- 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R^{10} ; or

R⁴ and R⁵, or R⁸ and R⁹, attached to the same carbon atom are combined to form -(CH₂)_u- wherein one of the carbon atoms is optionally replaced by a moiety selected from O, S(O)_m, -N(R^a)C(O)-, -N(R^b)- and -N(COR^a)-;

R¹⁰ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,
- 11) O_a(C=O)_bNR¹²R¹³,
- 12) S(O)_mR^a,
- 13) S(O)₂NR¹²R¹³,
- 14) oxo,
- 15) CHO,
- 16) (N=O)R¹²R¹³, or
- 17) (C=O)_aO_bC₃-C₈ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R¹¹;

R¹¹ is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,
- 4) oxo,
- 5) OH,
- 6) halo,

- 7) CN,
- 8) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_2\text{-C}_{10})\text{alkenyl}$,
- 9) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_2\text{-C}_{10})\text{alkynyl}$,
- 10) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_3\text{-C}_6)\text{cycloalkyl}$,
- 11) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-aryl}$,
- 12) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-heterocyclyl}$,
- 13) $(\text{C}=\text{O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-N(R}^b)_2$,
- 14) C(O)R^a ,
- 15) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{R}^a$,
- 16) C(O)H ,
- 17) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{H}$,
- 18) $\text{C(O)N(R}^b)_2$,
- 19) $\text{S(O)}_m\text{R}^a$, and
- 20) $\text{S(O)}_2\text{N(R}^b)_2$

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, $(\text{C}_1\text{-C}_6)\text{alkoxy}$, halogen, CO_2H , CN, $\text{O}(\text{C}=\text{O})\text{C}_1\text{-C}_6$ alkyl, oxo, and $\text{N(R}^b)_2$;

R^{12} and R^{13} are independently selected from:

- 1) H,
- 2) $(\text{C}=\text{O})\text{O}_b\text{C}_1\text{-C}_{10}$ alkyl,
- 3) $(\text{C}=\text{O})\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,
- 4) $(\text{C}=\text{O})\text{O}_b\text{aryl}$,
- 5) $(\text{C}=\text{O})\text{O}_b\text{heterocyclyl}$,
- 6) $\text{C}_1\text{-C}_{10}$ alkyl,
- 7) aryl,
- 8) $\text{C}_2\text{-C}_{10}$ alkenyl,
- 9) $\text{C}_2\text{-C}_{10}$ alkynyl,
- 10) heterocyclyl,
- 11) $\text{C}_3\text{-C}_8$ cycloalkyl,
- 12) SO_2R^a , and
- 13) $(\text{C}=\text{O})\text{NR}^b_2$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R¹¹, or

R¹² and R¹³ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R¹¹;

R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl;

R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl, optionally substituted with one, two or three substituents selected from R¹⁰, or

R^c and R^{c'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;


R^d and R^{d'} are independently selected from: (C₁-C₆)alkyl, (C₁-C₆)alkoxy and NR^b₂, or

R^d and R^{d'} can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NR^e, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

R^e is selected from: H and (C₁-C₆)alkyl; and

X is selected from O, NRe and S.

3. (original) The compound according to Claim 2 of Formula I:



or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

a is 0 or 1;
b is 0 or 1;
m is 0, 1, or 2;
n is 0 or 1;
r is 0 or 1;
s is 0 or 1;
u is 2, 3, 4 or 5;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

R¹ is selected from:

- 1) (C₁-C₆-alkylene)_n(C=X)C₁-C₁₀ alkyl,
- 2) (C₁-C₆-alkylene)_n(C=X)aryl,
- 3) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkenyl,
- 4) (C₁-C₆-alkylene)_n(C=X)C₂-C₁₀ alkynyl,
- 5) (C₁-C₆-alkylene)_n(C=X)C₃-C₈ cycloalkyl,
- 6) (C₁-C₆-alkylene)_n(C=X)heterocyclyl,

- 7) $(\text{C}_1\text{-C}_6\text{-alkylene})_n(\text{C}=\text{X})\text{NR}^c\text{R}^c'$,
- 8) $(\text{C}_1\text{-C}_6\text{-alkylene})_n\text{SO}_2\text{NR}^c\text{R}^c'$,
- 9) $(\text{C}_1\text{-C}_6\text{-alkylene})_n\text{SO}_2\text{C}_1\text{-C}_{10}$ alkyl,
- 10) $(\text{C}_1\text{-C}_6\text{-alkylene})_n\text{SO}_2\text{C}_2\text{-C}_{10}$ alkenyl,
- 11) $(\text{C}_1\text{-C}_6\text{-alkylene})_n\text{SO}_2\text{C}_2\text{-C}_{10}$ alkynyl,
- 12) $(\text{C}_1\text{-C}_6\text{-alkylene})_n\text{SO}_2\text{-aryl}$,
- 13) $(\text{C}_1\text{-C}_6\text{-alkylene})_n\text{SO}_2\text{-heterocyclyl}$,
- 14) $(\text{C}_1\text{-C}_6\text{-alkylene})_n\text{SO}_2\text{-C}_3\text{-C}_8$ cycloalkyl,
- 15) $(\text{C}_1\text{-C}_6\text{-alkylene})_n\text{P}(=\text{O})\text{R}^d\text{R}^d'$,
- 16) aryl;
- 17) heterocyclyl; and
- 18) $\text{C}_1\text{-C}_{10}$ alkyl;

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² and R⁶ are independently selected from:

- 1) aryl,
- 2) $\text{C}_1\text{-C}_6$ aralkyl,
- 3) $\text{C}_3\text{-C}_8$ cycloalkyl, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R³, R⁴, R⁵, R⁷, R⁸, and R⁹ are independently selected from:

- 1) H,
- 2) $\text{C}_1\text{-C}_{10}$ alkyl,
- 3) aryl,
- 4) $\text{C}_2\text{-C}_{10}$ alkenyl,
- 5) $\text{C}_2\text{-C}_{10}$ alkynyl,
- 6) $\text{C}_1\text{-C}_6$ perfluoroalkyl,
- 7) $\text{C}_1\text{-C}_6$ aralkyl,
- 8) $\text{C}_3\text{-C}_8$ cycloalkyl, and

9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰; or

R⁴ and R⁵, or R⁸ and R⁹, attached to the same carbon atom are combined to form -(CH₂)_u- wherein one of the carbon atoms is optionally replaced by a moiety selected from O, S(O)_m, -N(R^a)C(O)-, -N(R^b)- and -N(COR^a)-;

R¹⁰ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,
- 11) O_a(C=O)_bNR¹²R¹³,
- 12) S(O)_mR^a,
- 13) S(O)₂NR¹²R¹³,
- 14) oxo,
- 15) CHO,
- 16) (N=O)R¹²R¹³, or
- 17) (C=O)_aO_bC₃-C₈ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R¹¹;

R¹¹ is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) (C₀-C₆)alkylene-S(O)_mR^a,

- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8) $(\text{C}=\text{O})_{\text{r}}\text{O}_{\text{s}}(\text{C}_2\text{-C}_{10})\text{alkenyl}$,
- 9) $(\text{C}=\text{O})_{\text{r}}\text{O}_{\text{s}}(\text{C}_2\text{-C}_{10})\text{alkynyl}$,
- 10) $(\text{C}=\text{O})_{\text{r}}\text{O}_{\text{s}}(\text{C}_3\text{-C}_6)\text{cycloalkyl}$,
- 11) $(\text{C}=\text{O})_{\text{r}}\text{O}_{\text{s}}(\text{C}_0\text{-C}_6)\text{alkylene-aryl}$,
- 12) $(\text{C}=\text{O})_{\text{r}}\text{O}_{\text{s}}(\text{C}_0\text{-C}_6)\text{alkylene-heterocyclyl}$,
- 13) $(\text{C}=\text{O})_{\text{r}}\text{O}_{\text{s}}(\text{C}_0\text{-C}_6)\text{alkylene-N(R}^{\text{b}})_2$,
- 14) C(O)R^{a} ,
- 15) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{R}^{\text{a}}$,
- 16) C(O)H ,
- 17) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{H}$,
- 18) $\text{C(O)N(R}^{\text{b}})_2$,
- 19) $\text{S(O)}_{\text{m}}\text{R}^{\text{a}}$, and
- 20) $\text{S(O)}_2\text{N(R}^{\text{b}})_2$,

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R^{b} , OH, $(\text{C}_1\text{-C}_6)\text{alkoxy}$, halogen, CO_2H , CN, $\text{O}(\text{C}=\text{O})\text{C}_1\text{-C}_6$ alkyl, oxo, and $\text{N(R}^{\text{b}})_2$;

R^{12} and R^{13} are independently selected from:

- 1) H,
- 2) $(\text{C}=\text{O})\text{O}_{\text{b}}\text{C}_1\text{-C}_{10}$ alkyl,
- 3) $(\text{C}=\text{O})\text{O}_{\text{b}}\text{C}_3\text{-C}_8$ cycloalkyl,
- 4) $(\text{C}=\text{O})\text{O}_{\text{b}}\text{aryl}$,
- 5) $(\text{C}=\text{O})\text{O}_{\text{b}}\text{heterocyclyl}$,
- 6) $\text{C}_1\text{-C}_{10}$ alkyl,
- 7) aryl,
- 8) $\text{C}_2\text{-C}_{10}$ alkenyl,
- 9) $\text{C}_2\text{-C}_{10}$ alkynyl,
- 10) heterocyclyl,

- 11) C₃-C₈ cycloalkyl,
- 12) SO₂R^a, and
- 13) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R¹¹, or

R¹² and R¹³ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R¹¹;

R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl;

R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl or

R^c and R^{c'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;


R^d and R^{d'} are independently selected from: (C₁-C₆)alkyl, (C₁-C₆)alkoxy and NR^b₂, or

R^d and R^{d'} can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NR^e, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

R^e is selected from: H and (C₁-C₆)alkyl; and

X is selected from O, NR^e and S.

4. (original) The compound according to Claim 2 of the Formula II,



or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

wherein:

a is 0 or 1;

b is 0 or 1;

m is 0, 1, or 2;

r is 0 or 1;

s is 0 or 1;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

R¹ is selected from:

- 1) (C₁-C₆-alkylene)_n(C=O)C₁-C₁₀ alkyl,
- 2) (C₁-C₆-alkylene)_n(C=O)aryl,
- 3) (C₁-C₆-alkylene)_n(C=O)C₂-C₁₀ alkenyl,
- 4) (C₁-C₆-alkylene)_n(C=O)C₂-C₁₀ alkynyl,
- 5) (C₁-C₆-alkylene)_n(C=O)C₃-C₈ cycloalkyl,

- 6) $(C_1-C_6\text{-alkylene})_n(C=O)\text{heterocyclyl}$,
- 7) $(C_1-C_6\text{-alkylene})_n(C=O)NR^cR^{c'}$,
- 8) $(C_1-C_6\text{-alkylene})_nSO_2NR^cR^{c'}$,
- 9) $(C_1-C_6\text{-alkylene})_nSO_2C_1-C_{10}\text{ alkyl}$,
- 10) $(C_1-C_6\text{-alkylene})_nSO_2\text{-aryl}$,
- 11) $(C_1-C_6\text{-alkylene})_nSO_2\text{-heterocyclyl}$,
- 12) $(C_1-C_6\text{-alkylene})_nSO_2-C_3-C_8\text{ cycloalkyl}$,
- 13) $(C_1-C_6\text{-alkylene})_nP(=O)R^dR^{d'}$,
- 14) aryl,
- 15) heterocyclyl, and
- 16) $C_1-C_{10}\text{ alkyl}$;

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² and R⁶ are independently selected from:

- 1) aryl,
- 2) $C_1-C_6\text{ aralkyl}$,
- 3) $C_3-C_8\text{ cycloalkyl}$, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R³, R⁴ and R⁸ are independently selected from:

- 1) H,
- 2) $C_1-C_{10}\text{ alkyl}$,
- 3) aryl,
- 4) $C_2-C_{10}\text{ alkenyl}$,
- 5) $C_2-C_{10}\text{ alkynyl}$,
- 6) $C_1-C_6\text{ perfluoroalkyl}$,
- 7) $C_1-C_6\text{ aralkyl}$,
- 8) $C_3-C_8\text{ cycloalkyl}$, and
- 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R¹⁰ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,
- 11) O_a(C=O)_bNR¹²R¹³,
- 12) S(O)_mR^a,
- 13) S(O)₂NR¹²R¹³,
- 14) oxo,
- 15) CHO,
- 16) (N=O)R¹²R¹³, or
- 17) (C=O)_aO_bC₃-C₈ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R¹¹;

R¹¹ is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) oxo,
- 4) OH,
- 5) halo,
- 6) CN,
- 7) (C₂-C₁₀)alkenyl,

- 8) (C_2-C_{10}) alkynyl,
- 9) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 10) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 11) $(C=O)_rO_s(C_0-C_6)$ alkylene-heterocyclyl,
- 12) $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$,
- 13) $C(O)R^a$,
- 14) (C_0-C_6) alkylene- CO_2R^a ,
- 15) $C(O)H$,
- 16) (C_0-C_6) alkylene- CO_2H ,
- 17) $C(O)N(R^b)_2$,
- 18) $S(O)_mR^a$, and
- 19) $S(O)_2N(R^b)_2$;

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, (C_1-C_6) alkoxy, halogen, CO_2H , CN, $O(C=O)C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

R^{12} and R^{13} are independently selected from:

- 1) H,
- 2) $(C=O)O_bC_1-C_{10}$ alkyl,
- 3) $(C=O)O_bC_3-C_8$ cycloalkyl,
- 4) $(C=O)O_b$ aryl,
- 5) $(C=O)O_b$ heterocyclyl,
- 6) C_1-C_{10} alkyl,
- 7) aryl,
- 8) C_2-C_{10} alkenyl,
- 9) C_2-C_{10} alkynyl,
- 10) heterocyclyl,
- 11) C_3-C_8 cycloalkyl,
- 12) SO_2R^a , and
- 13) $(C=O)NR^b_2$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R¹¹, or

R¹² and R¹³ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

R^a is (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, or heterocyclyl;

R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;


R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl; or R^c and R^{c'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

R^d and R^{d'} are independently selected from: (C₁-C₆)alkyl, (C₁-C₆)alkoxy and NR^b₂, or

R^d and R^{d'} can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NR^e, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹; and

R^e is selected from: H and (C₁-C₆)alkyl.

5. (original) A compound of the Formula III,



or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

- a is 0 or 1;
- b is 0 or 1;
- m is 0, 1, or 2;
- r is 0 or 1;
- s is 0 or 1;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

R¹ is selected from:

- 1) (C=O)C₁-C₁₀ alkyl,
- 2) (C=O)aryl,
- 3) (C=O)C₂-C₁₀ alkenyl,
- 4) (C=O)C₂-C₁₀ alkynyl,
- 5) (C=O)C₃-C₈ cycloalkyl,
- 6) (C=O)heterocyclyl,
- 7) (C=O)NR^cR^{c'},
- 8) SO₂NR^cR^{c'},
- 9) SO₂C₁-C₁₀ alkyl,
- 10) SO₂-aryl,
- 11) SO₂-heterocyclyl,
- 12) SO₂-C₃-C₈ cycloalkyl, and
- 13) P(=O)R^dR^{d'},

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² is selected from:

- 1) aryl,
- 2) C₁-C₆ aralkyl,
- 3) C₃-C₈ cycloalkyl, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R³, R⁴ and R⁸ are independently selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 4) C₂-C₁₀ alkenyl,
- 5) C₂-C₁₀ alkynyl,
- 6) C₁-C₆ perfluoroalkyl,
- 7) C₁-C₆ aralkyl,
- 8) C₃-C₈ cycloalkyl, and
- 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R¹⁰ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,

- 9) OH,
- 10) $O_bC_1-C_6$ perfluoroalkyl,
- 11) $O_a(C=O)_bNR^{12}R^{13}$,
- 12) $S(O)_mR^a$,
- 13) $S(O)_2NR^{12}R^{13}$,
- 14) oxo,
- 15) CHO,
- 16) $(N=O)R^{12}R^{13}$, or
- 17) $(C=O)_aO_bC_3-C_8$ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^{11} ;

$R^{10'}$ is halogen;

R^{11} is selected from:

- 1) $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2) $O_r(C_1-C_3)$ perfluoroalkyl,
- 3) oxo,
- 4) OH,
- 5) halo,
- 6) CN,
- 7) (C_2-C_{10}) alkenyl,
- 8) (C_2-C_{10}) alkynyl,
- 9) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 10) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 11) $(C=O)_rO_s(C_0-C_6)$ alkylene-heterocyclyl,
- 12) $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$,
- 13) $C(O)R^a$,
- 14) (C_0-C_6) alkylene- CO_2R^a ,
- 15) $C(O)H$,
- 16) (C_0-C_6) alkylene- CO_2H , and
- 17) $C(O)N(R^b)_2$,

- 18) $S(O)_mR^a$, and
- 19) $S(O)_2N(R^b)_2$;

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, (C_1-C_6) alkoxy, halogen, CO_2H , CN, $O(C=O)C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

R^{12} and R^{13} are independently selected from:

- 1) H,
- 2) $(C=O)O_bC_1-C_{10}$ alkyl,
- 3) $(C=O)O_bC_3-C_8$ cycloalkyl,
- 4) $(C=O)O_b$ aryl,
- 5) $(C=O)O_b$ heterocyclyl,
- 6) C_1-C_{10} alkyl,
- 7) aryl,
- 8) C_2-C_{10} alkenyl,
- 9) C_2-C_{10} alkynyl,
- 10) heterocyclyl,
- 11) C_3-C_8 cycloalkyl,
- 12) SO_2R^a , and
- 13) $(C=O)NR^b_2$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R^{11} , or

R^{12} and R^{13} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R^{11} ;

R^a is (C_1-C_6) alkyl, (C_3-C_6) cycloalkyl, aryl, or heterocyclyl;

R^b is H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a;

R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl; or


R^c and R^{c'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

R^d and R^{d'} are independently selected from: (C₁-C₆)alkyl, (C₁-C₆)alkoxy and NR^b₂, or

R^d and R^{d'} can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NR^e, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹; and

R^e is selected from: H and (C₁-C₆)alkyl.

6. (original) The compound according to Claim 4 of the Formula IV,



or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

a is 0 or 1;
b is 0 or 1;
m is 0, 1, or 2;
r is 0 or 1;
s is 0 or 1;

R¹ is selected from:

- 1) (C=O)C₁-C₁₀ alkyl,
- 2) (C=O)aryl,
- 3) (C=O)C₃-C₈ cycloalkyl,
- 4) (C=O)heterocyclyl,
- 5) (C=O)NR^cR^{c'},
- 6) (C=S)NR^cR^{c'},
- 7) SO₂NR^cR^{c'},
- 8) SO₂C₁-C₁₀ alkyl,
- 9) SO₂-aryl, and
- 10) SO₂-heterocyclyl,

said alkyl, aryl, cycloalkyl, and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² is selected from:

- 1) aryl,
- 2) C₁-C₆ aralkyl,
- 3) C₃-C₈ cycloalkyl, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R³, R⁴ and R⁸ are independently selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl, and
- 3) C₁-C₆ perfluoroalkyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R⁶ is selected from:

- 1) aryl,
- 2) C₁-C₆ aralkyl,
- 3) C₃-C₈ cycloalkyl, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R¹⁰ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,
- 11) O_a(C=O)_bNR¹²R¹³,
- 12) S(O)_mR^a,
- 13) S(O)₂NR¹²R¹³,
- 14) oxo,
- 15) CHO,
- 16) (N=O)R¹²R¹³, or
- 17) (C=O)_aO_bC₃-C₈ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R¹¹;

R¹¹ is selected from:

- 1) (C=O)_rO_s(C₁-C₁₀)alkyl,
- 2) O_r(C₁-C₃)perfluoroalkyl,
- 3) oxo,
- 4) OH,
- 5) halo,
- 6) CN,
- 7) (C₂-C₁₀)alkenyl,
- 8) (C₂-C₁₀)alkynyl,
- 9) (C=O)_rO_s(C₃-C₆)cycloalkyl,
- 10) (C=O)_rO_s(C₀-C₆)alkylene-aryl,
- 11) (C=O)_rO_s(C₀-C₆)alkylene-heterocyclyl,
- 12) (C=O)_rO_s(C₀-C₆)alkylene-N(R^b)₂,
- 13) C(O)R^a,
- 14) (C₀-C₆)alkylene-CO₂R^a,
- 15) C(O)H,
- 16) (C₀-C₆)alkylene-CO₂H,
- 17) C(O)N(R^b)₂,
- 18) S(O)_mR^a, and
- 19) S(O)₂N(R^b)₂;

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b, OH, (C₁-C₆)alkoxy, halogen, CO₂H, CN, O(C=O)C₁-C₆ alkyl, oxo, and N(R^b)₂;

R¹² and R¹³ are independently selected from:

- 1) H,
- 2) (C=O)O_bC₁-C₁₀ alkyl,
- 3) (C=O)O_bC₃-C₈ cycloalkyl,
- 4) (C=O)O_baryl,
- 5) (C=O)O_bheterocyclyl,
- 6) C₁-C₁₀ alkyl,

- 7) aryl,
- 8) C₂-C₁₀ alkenyl,
- 9) C₂-C₁₀ alkynyl,
- 10) heterocyclyl,
- 11) C₃-C₈ cycloalkyl,
- 12) SO₂R^a, and
- 13) (C=O)NR^b₂,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R¹¹, or

R¹² and R¹³ can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹;

R^a is independently selected from: (C₁-C₆)alkyl, (C₃-C₆)cycloalkyl, aryl, and heterocyclyl;

R^b is independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl, (C₃-C₆)cycloalkyl, (C=O)OC₁-C₆ alkyl, (C=O)C₁-C₆ alkyl or S(O)₂R^a; and

R^c and R^{c'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl or

R^c and R^{c'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹.

7. (original) The compound according to Claim 6 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein:

R¹ is selected from:

- 1) (C=O)NR^cR^{c'},
- 2) SO₂NR^cR^{c'}, and
- 3) SO₂C₁-C₁₀ alkyl,

said alkyl, is optionally substituted with one, two or three substituents selected from R¹⁰;

R² is selected from:

- 1) aryl, and
- 2) heteroaryl,

said aryl and heteroaryl is optionally substituted with one or more substituents selected from R¹⁰;

R³, R⁴ and R⁸ are independently selected from:

- 1) H, and
- 2) C₁-C₁₀ alkyl,

said alkyl is optionally substituted with one or more substituents selected from R¹⁰;

R⁶ is selected from:

- 1) aryl, and
- 2) heterocyclyl,

said alkyl, aryl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰; and

R¹⁰, R¹¹, R¹², R¹³, R^a, R^b, R^c and R^{c'} are as described immediately above.

8. (original) The compound according to Claim 7 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein:


R² and R⁶ are independently selected from phenyl or pyridyl, optionally substituted with one or two substituents selected from R¹⁰; and

R¹, R³, R⁴ and R⁸ are as described in Claim 7.

9. (original) The compound according to Claim 7, or the pharmaceutically acceptable salt or stereoisomer thereof, wherein R^2 is phenyl, optionally substituted with one or two substituents selected from R^{10} ; and

R^1 , R^3 , R^4 , R^6 and R^8 are as described in Claim 7.

10. (original) The compound according to Claim 5 of the Formula V,



wherein:

- a is 0 or 1;
- b is 0 or 1;
- m is 0, 1, or 2;
- r is 0 or 1;
- s is 0 or 1;

R^1 is selected from:

- 1) $(C=O)C_1-C_{10}$ alkyl,
- 2) $(C=O)$ aryl,
- 3) $(C=O)C_3-C_8$ cycloalkyl,
- 4) $(C=O)$ heterocyclyl,
- 5) $(C=O)NR^cR^{c'}$,
- 6) $(C=S)NR^cR^{c'}$,
- 7) $SO_2NR^cR^{c'}$,
- 8) $SO_2C_1-C_{10}$ alkyl,

- 9) SO₂-aryl, and
- 10) SO₂-heterocyclyl,

said alkyl, aryl, cycloalkyl, and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R² is selected from:

- 1) aryl,
- 2) C₁-C₆ aralkyl,
- 3) C₃-C₈ cycloalkyl, and
- 4) heterocyclyl,

said aryl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R¹⁰;

R³, R⁴ and R⁸ are independently selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl, and
- 3) C₁-C₆ perfluoroalkyl,

said alkyl is optionally substituted with one or more substituents selected from R¹⁰;

R¹⁰ is independently selected from:

- 1) (C=O)_aO_bC₁-C₁₀ alkyl,
- 2) (C=O)_aO_baryl,
- 3) C₂-C₁₀ alkenyl,
- 4) C₂-C₁₀ alkynyl,
- 5) (C=O)_aO_b heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O_bC₁-C₆ perfluoroalkyl,
- 11) O_a(C=O)_bNR¹²R¹³,
- 12) S(O)_mR^a,

- 13) $\text{S(O)}_2\text{NR}^{12}\text{R}^{13}$,
- 14) oxo,
- 15) CHO,
- 16) $(\text{N=O})\text{R}^{12}\text{R}^{13}$, or
- 17) $(\text{C=O})_a\text{O}_b\text{C}_3\text{-C}_8$ cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R^{11} ;

$\text{R}^{10'}$ is halogen;

R^{11} is selected from:

- 1) $(\text{C=O})_r\text{O}_s(\text{C}_1\text{-C}_{10})\text{alkyl}$,
- 2) $\text{O}_r(\text{C}_1\text{-C}_3)\text{perfluoroalkyl}$,
- 3) oxo,
- 4) OH,
- 5) halo,
- 6) CN,
- 7) $(\text{C}_2\text{-C}_{10})\text{alkenyl}$,
- 8) $(\text{C}_2\text{-C}_{10})\text{alkynyl}$,
- 9) $(\text{C=O})_r\text{O}_s(\text{C}_3\text{-C}_6)\text{cycloalkyl}$,
- 10) $(\text{C=O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-aryl}$,
- 11) $(\text{C=O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-heterocyclyl}$,
- 12) $(\text{C=O})_r\text{O}_s(\text{C}_0\text{-C}_6)\text{alkylene-N(R}^b)_2$,
- 13) C(O)R^a ,
- 14) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{R}^a$,
- 15) C(O)H ,
- 16) $(\text{C}_0\text{-C}_6)\text{alkylene-CO}_2\text{H}$,
- 17) $\text{C(O)N(R}^b)_2$,
- 18) $\text{S(O)}_m\text{R}^a$, and
- 19) $\text{S(O)}_2\text{N(R}^b)_2$;

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, (C_1-C_6) alkoxy, halogen, CO_2H , CN, $O(C=O)C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

R^{12} and R^{13} are independently selected from:

- 1) H,
- 2) $(C=O)O_bC_1-C_{10}$ alkyl,
- 3) $(C=O)O_bC_3-C_8$ cycloalkyl,
- 4) $(C=O)O_b$ aryl,
- 5) $(C=O)O_b$ heterocyclyl,
- 6) C_1-C_{10} alkyl,
- 7) aryl,
- 8) C_2-C_{10} alkenyl,
- 9) C_2-C_{10} alkynyl,
- 10) heterocyclyl,
- 11) C_3-C_8 cycloalkyl,
- 12) SO_2R^a , and
- 13) $(C=O)NR^b_2$,

said alkyl, cycloalkyl, aryl, heterocyclyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R^{11} , or

R^{12} and R^{13} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R^{11} ;

R^a is independently selected from: (C_1-C_6) alkyl, (C_3-C_6) cycloalkyl, aryl, and heterocyclyl;

R^b is independently selected from: H, (C_1-C_6) alkyl, aryl, heterocyclyl, (C_3-C_6) cycloalkyl, $(C=O)OC_1-C_6$ alkyl, $(C=O)C_1-C_6$ alkyl or $S(O)_2R^a$; and

R^C and R^{C'} are independently selected from: H, (C₁-C₆)alkyl, aryl, heterocyclyl and (C₃-C₆)cycloalkyl or

R^C and R^{C'} can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹.

11. (original) A compound selected from:

4-(2-chloro-5-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(+)-4-(2,5-difluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(-)-4-(2,5-difluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(5-chloro-2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2-fluoro-5-methylphenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(5-bromo-2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}morpholine;

4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}morpholine;

N,N-dimethyl-2,4-diphenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

3-[2-fluoro-5-(trifluoromethyl)phenyl]-N,N-dimethyl-5-phenyl-2,3-dihydro-1H-pyrrole-1-carboxamide;

2-(3-fluorophenyl)-4-(2,5-difluorophenyl)- N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(4-fluorophenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(2-fluorophenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

2-(3-bromophenyl)-4-(2,5-difluorophenyl)- N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

2-(3-aminophenyl)-4-(2,5-difluorophenyl)- N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-methylphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-chloro-2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-1-(methylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-1-(ethylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-phenyl-1-(propylsulfonyl)-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-1-(isopropylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

4-(5-chloro-2-fluorophenyl)-1-(methylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

4-(5-chloro-2-fluorophenyl)-1-(isopropylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

4-(2-fluoro-5-methylphenyl)-1-(isopropylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

2-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]sulfonyl}ethanamine;

2-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]sulfonyl}-N,N-dimethylethanamine;

1-acetyl-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

4-(2-chloro-5-fluorophenyl)-1-pivaloyl-2-phenyl-2,5-dihydro-1H-pyrrole;

4-(2-chloro-5-fluorophenyl)-1-isobutyryl-2-phenyl-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-1-(2,2-dimethylpropanoyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-ol;

1-[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-ol;

1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;

4-(2-fluoro-5-isocyanophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-phenyl-1-(trifluoroacetyl)-2,5-dihydro-1H-pyrrole;

4-(5-chloro-2-fluorophenyl)-2-phenyl-1-(trifluoroacetyl)-2,5-dihydro-1H-pyrrole;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylpropylamine;

(1R)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylpropylamine;

4-(2,5-difluorophenyl)-2-phenyl-1-L-prolyl-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-phenyl-1-D-prolyl-2,5-dihydro-1H-pyrrole;

(4R)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,3-thiazolidine;

methyl (3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutanoate;

(4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-oxopentanamide;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-(methylthio)propylamine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-(methylsulfonyl)propylamine;

(2S)-2-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}piperidine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pentylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(thien-2-ylmethyl)ethylamine;

4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,1-dioxidotetrahydro-2H-thiopyran-4-ylamine;

(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methyl-1-oxopropan-2-amine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}propylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-phenylethanamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-phenylethanamine;

(4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-oxopentanamide

3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-amine;

(1S,2S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylbutylamine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}butylamine;

(1S)-1-cyclopropyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopropanamine;

1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-oxopropan-2-amine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-methyl-2-oxoethylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(pyridin-2-ylmethyl)ethylamine;

(1S)-1-cyclohexyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(4-iodobenzyl)-2-oxoethylamine;

(1S)-1-benzyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylamine;

4-[(2S)-2-amino-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropyl]phenol;

(3S)-3-[[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-1,2,3,4-tetrahydroisoquinoline;

(1S)-1-[[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-3-phenylpropylamine;

(1S)-1-[[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-3-methylbutylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(pyridin-3-ylmethyl)ethylamine;

1-[(2S)-azetidin-2-ylcarbonyl]-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

(3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutanamide;

4-(2,5-difluorophenyl)-1-[(2S)-2,5-dihydro-1H-pyrrol-2-ylcarbonyl]-2-phenyl-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-1-[(2-methylazetidin-2-yl)carbonyl]-2-phenyl-2,5-dihydro-1H-pyrrole;

(1S)-1-[[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2,2-dimethylpropylamine;

methyl (4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-oxopentanoate;

4-(2,5-difluorophenyl)-2-phenyl-1-[[(2S,3S)-2-phenylpyrrolidin-3-yl]carbonyl]-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-phenyl-1-[(5-phenylpyrrolidin-3-yl)carbonyl]-2,5-dihydro-1H-pyrrole;

(2S)-2-amino-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-ol;

(2R,3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutan-2-ol;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(methoxymethyl)-2-oxoethylamine;

4-(2,5-difluorophenyl)-2-phenyl-1-(pyrrolidin-3-ylcarbonyl)-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-phenyl-1-[(3-phenylpyrrolidin-3-yl)acetyl]-2,5-dihydro-1H-pyrrole;

(1S)-1-[[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-3,3-difluoropropylamine;

(1S)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxo-1-phenylpropan-1-amine;

4-(2,5-difluorophenyl)-2-phenyl-1-[(4S)-4-phenyl-L-prolyl]-2,5-dihydro-1H-pyrrole;

1-{2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}cyclohexanamine;

2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}piperidin-4-amine;

(1S,3R)-3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;

(1R,4S)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-2-en-1-amine;

(1S,4R)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-2-en-1-amine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-ynylamine;

(1R)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxo-1-phenylpropan-1-amine;

3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-phenylpiperidine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-enylamine;

(2S)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-(methylamino)-3-oxopropan-1-ol;

(3R,5S)-5-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pyrrolidin-3-ol;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(1,3-thiazol-4-ylmethyl)ethylamine;

(1R)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-enylamine;
(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,3-dimethyl-1-oxobutan-2-amine;

(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,4-dimethyl-1-oxopentan-2-amine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-[(1-methyl-1H-imidazol-4-yl)methyl]-2-oxoethylamine;

4-(2,5-difluorophenyl)-1-(N~6~-formyl-L-lysyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

(2S,3S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,3-dimethyl-1-oxopentan-2-amine;

(1S)-1-(cyclohexylmethyl)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(1H-indol-3-ylmethyl)-2-oxoethylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(isocyanomethyl)-2-oxoethylamine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-dimethylbutylamine;

1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,3-dimethyl-1-oxobutan-2-amine;

1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclohexanamine;

1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;

(1S)-3-(benzyloxy)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}propylamine;

1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,3-dimethyl-1-oxobutan-2-amine;

1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-3-en-1-amine;

(1S)-1-cyclopentyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

4-(2,5-difluorophenyl)-1-(2-methylpropyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

1-[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;

(1S)-1-{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylpropylamine;

(1S)-2-[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-cyclopropyl-2-oxoethanamine;

(1S,2S)-1-{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylbutylamine;

(1S)-1-{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pentylamine;

(1S)-1-{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-dimethylbutylamine;

(1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2,2-dimethylpropylamine;

(1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2-methylpropylamine;

(1S)-1-cyclohexyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

(1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]but-3-enylamine;

(1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]but-3-ynylamine;

(1S)-1-benzyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylamine;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;

(1S)-1-[[[(2S)-4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2,2-dimethylpropylamine;

(1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]pentylamine;

(1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-3-methylbutylamine;

(1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-dimethylbutylamine;

1-cyclopropyl-3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-amine;

(1S)-2-[(2S)-4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-cyclopropyl-2-oxoethanamine;

(1S)-1-{[(2S)-4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylpropylamine;

(1S,2S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylbutylamine;

4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-(2-methylalanyl)-2,5-dihydro-1H-pyrrole;

(2S)-4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-(2-methylalanyl)-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole;

4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole;

(2S)-4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-(2-methylalanyl)-2,5-dihydro-1H-pyrrole;

3-[1-[(2S)-2-amino-2-cyclopropylethanoyl]-4-(5-chloro-2-fluorophenyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;

4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-isoleucyl-2,5-dihydro-1H-pyrrole;

4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-norleucyl-2,5-dihydro-1H-pyrrole;

(2S)-4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-(3-methyl-L-valyl)-2,5-dihydro-1H-pyrrole;

(2S)-4-(2,5-Difluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-Difluorophenyl)-N-methyl-2-phenyl-N-(piperidin-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-Chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3R)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3S)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-pyrrolidin-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-methyl-N-[(3S)-1-methylpyrrolidin-3-yl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-methyl-N-[(3R)-1-methylpyrrolidin-3-yl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-methyl-N-[(1-methyl-5-oxopyrrolidin-2-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-(1,3-dioxolan-2-ylmethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-tetrahydrofuran-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-N-(1-allylpiperidin-4-yl)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

allyl 4-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]piperidine-1-carboxylate;

allyl 4-[[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]methyl]piperidine-1-carboxylate;

(2S)-4-(2,5-difluorophenyl)-N-methyl-N-(1-methylpiperidin-4-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-Difluorophenyl)-N-methyl-N-[(1-methylpiperidin-3-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(pyridin-3-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

N-benzyl-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-[2-(dimethylamino)ethyl]-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-(2-hydroxyethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-isobutyl-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(2-pyridin-2-ylethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-(2-methoxyethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-(2,3-dihydroxypropyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(2-phenylethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-phenyl-N-propyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

1-Acetyl-4-(2,5-difluorophenyl)-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrole;

(2S)-1-[4-(2,5-difluorophenyl)-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-methyl-1-oxobutan-2-amine;

(2S)-4-(2,5-difluorophenyl)-N,N,2-trimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-chloro-2-fluorophenyl)-N,N,2-trimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-chloro-2-fluorophenyl)-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-chloro-2-fluorophenyl)-N-ethyl-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3,3-dimethyl-1-oxobutan-2-ol;

(2S)-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-methyl-1-oxobutan-2-ol;

(2S,3S)-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-methyl-1-oxopentan-2-ol;

1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-oxohexan-2-ol;

(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-oxo-3-phenylpropan-2-ol;

(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-methyl-1-oxopentan-2-ol;

(1S)-1-cyclohexyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanol;

(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3,3-dimethyl-1-oxobutan-2-ol;

N-1-[(1S)-1-cyclopropyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-N-2,N-2-dimethylglycinamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-methylglycinamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}glycinamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-methylalaninamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}glycinamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2,N-2-dimethylglycinamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2,N-2-dimethylglycinamide, N-oxide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-methylalaninamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2,N-2-dimethylglycinamide n-oxide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-pyrrolidin-1-ylacetamide;

2-azetidin-1-yl-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}acetamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-morpholin-4-ylacetamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-piperazin-1-ylacetamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(4-methylpiperazin-1-yl)acetamide;

2-azetidin-1-yl-N-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}acetamide;

N-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-pyrrolidin-1-ylacetamide;

N-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-piperidin-1-ylacetamide;

N-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-morpholin-4-ylacetamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-(2-hydroxyethyl)glycinamide;

N-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(4-methylpiperazin-1-yl)acetamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-isopropylglycinamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}acetamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-ethylglycinamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-hydroxyacetamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}piperazine-1-carboxamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-piperidin-4-ylurea;

4-amino-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}piperidine-1-carboxamide;

N-(2-aminoethyl)-N'-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}urea;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-(3-morpholin-4-ylpropyl)urea;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-[2-(dimethylamino)ethyl]urea;

2-azetidin-1-yl-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}ethanesulfonamide

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(isopropylamino)ethanesulfonamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-pyrrolidin-1-ylethanesulfonamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-morpholin-4-ylethanesulfonamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-piperazin-1-ylethanesulfonamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(4-methylpiperazin-1-yl)ethanesulfonamide;

N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylacetamide;

(2S)-1-(2-azetidin-1-yl-2-oxoethyl)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

(2S)-4-(2,5-difluorophenyl)-1-(2-oxo-2-pyrrolidin-1-ylethyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

4-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}morpholine;

1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}piperazine;

1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}-4-methylpiperazine;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylbutanamide;

4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]butanoyl}morpholine;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylacetamide;

N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylpropanamide;

N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methylpropanamide;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylpropanamide;

N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;

4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoyl}morpholine;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethyl-2,2-dimethyl-4-oxobutanamide;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxo-N-piperidin-4-ylbutanamide;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxobutanoic acid;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N,2,2-tetramethyl-4-oxobutanamide;

(1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethyl-3-oxo-3-piperazin-1-ylpropylamine;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropyl-2,2-dimethyl-4-oxobutanamide;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,2,2-trimethyl-4-oxobutanamide;

(3R)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N,2,2-tetramethyl-4-oxobutanamide;

(3R)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxobutanoic acid;

(1R)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2,2-dimethyl-3-oxo-3-piperazin-1-yl]propylamine;

2-([(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]amino)-N-ethylacetamide;

2-([(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]amino)-N-methylacetamide;

2-([(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]amino)-N,N-dimethylacetamide;

2-([(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]amino)-N-methyl-N-ethylacetamide;

2-([(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]amino)-N-methylacetamide;

2-([(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]amino)-N-ethylacetamide;

2-([(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]amino)-N,N-dimethylacetamide;

2-([(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]amino)-N-isopropylacetamide;

2-((1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl)amino)-N-ethyl-N-methylacetamide;

2-((1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl)amino)-N,N-diethylacetamide;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-N-(2-oxo-2-pyrrolidin-1-ylethyl)ethanamine;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-(2-morpholin-4-yl-2-oxoethyl)-2-oxoethanamine;

1-(((1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl)amino)acetyl]piperidin-4-ol;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-[2-(4-methylpiperazin-1-yl)-2-oxoethyl]-2-oxoethanamine;

(1S)-N-(2-azetidin-1-yl-2-oxoethyl)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-[2-(1,1-dioxidothiomorpholin-4-yl)-2-oxoethyl]-2-oxoethanamine;

(1S)-N-[2-(4-acetylpiperazin-1-yl)-2-oxoethyl]-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-(2-morpholin-4-yl-2-oxoethyl)-2-oxoethanamine;

(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-N-(2-oxo-2-pyrrolidin-1-ylethyl)ethanamine;

2-(((1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl)amino)-N-isopropylacetamide;

2-(dimethylamino)ethyl (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylcarbamate;

1-methylpiperidin-4-yl (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylcarbamate;

(2S)-4-cyclopropyl-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-cyclopentyl-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 4-methylpiperazine-1-carboxylate;

1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 2-morpholin-4-ylethylcarbamate;

N-((((1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl)oxy)-carbonyl)glycine;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 1-methylpiperidin-4-ylcarbamate;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylmethyl(1-methylpiperidin-4-yl)carbamate;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 4-dimethylamino)piperidine-1-carboxylate;

tert-butyl (2S)-4-(2-chloro-5-fluoropyrimidin-4-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxylate;

(2S)-4-(5-fluoro-2-methylpyrimidin-4-yl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2-chloro-5-fluoropyrimidin-4-yl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(4-chloro-5-methylpyrimidin-2-yl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(6-chloropyrimidin-4-yl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2-chloropyrimidin-4-yl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-N,N-dimethyl-4-(4-methylpyridin-3-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-N,N-dimethyl-2-phenyl-4-(1,3-thiazol-2-yl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-N,N-dimethyl-2-phenyl-4-(1,3-thiazol-4-yl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-N,N-dimethyl-2-phenyl-4-(1,2-thiazol-5-yl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-(2-hydroxyethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

N-{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-N-methyl-beta-alanine;

methyl N-{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-N-methyl-beta-alaninate;

4-{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]acetyl}morpholin-4-ium;

3-[(2S)-4-(2,5-difluorophenyl)-1-(2-hydroxy-2-methylpropanoyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-sulfonamide;

3-[4-(2,5-difluorophenyl)-1-(methylsulfonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;

3-[4-(2,5-difluorophenyl)-1-(morpholin-4-ylcarbonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;

3-[4-(2,5-difluorophenyl)-1-(2,2-dimethylpropanoyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;

(2S)-4-(2,5-difluorophenyl)-1-[(methylsulfonyl)acetyl]-2-phenyl-2,5-dihydro-1H-pyrrole;

(2S)-4-(2,5-difluorophenyl)-2-phenyl-1-[(phenylsulfonyl)acetyl]-2,5-dihydro-1H-pyrrole;

3-[(2S)-1-[(2S)-2-cyclopropyl-2-hydroxyethanoyl]-4-(2,5-difluorophenyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;

3-{(2S)-4-(2,5-difluorophenyl)-1-[(2S)-2-hydroxy-3,3-dimethylbutanoyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanol;

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydrofuran-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(2-methoxyethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydro-2H-pyran-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

3-[(2S)-4-(2,5-difluorophenyl)-1-(piperidin-1-ylcarbonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;

4-(2,5-difluorophenyl)-N-[1-(2-fluoroethyl)piperidin-4-yl]-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)piperidinium trifluoroacetate;

2-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)ethyl 4-methylpiperazine-1-carboxylate;

3-{4-(2,5-difluorophenyl)-1-[(4-methylpiperazin-1-yl)carbonyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol;

2-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)ethyl morpholine-4-carboxylate;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-5-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

2-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethyl dimethylaminocarboxylate;

2-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethyl piperidine-1-carboxylate;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(2-oxopyrrolidin-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(tetrahydro-2H-pyran-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-{[5-(methoxymethyl)-1H-pyrazol-3-yl]methyl}-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(4-methyl-1,2,5-oxadiazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-2-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-3-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-1,2,4-triazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-pyrazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-5-oxopyrrolidin-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(1-isoxazol-3-ylethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-(1,3-dioxolan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-(1,4-dioxan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-methyl-1,3,4-oxadiazol-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(methylsulfonyl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethanesulfonic acid;

2-hydroxyethyl (1S)-1-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylcarbamate;

3-hydroxypropyl (1S)-1-1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylcarbamate;

2-hydroxyethyl {(1S)-1-isopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl} carbamate;

2-hydroxyethyl {(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl} carbamate;

4-hydroxybutyl (1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropyl carbamate;

(2S)-4-(2,5-difluorophenyl)-1-[2-(methylsulfonyl)ethyl]-2-phenyl-2,5-dihydro-1H-pyrrole;

(2S)-4-(2,5-difluorophenyl)-1-[2-(ethylsulfonyl)ethyl]-2-phenyl-2,5-dihydro-1H-pyrrole;

1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]pentan-3-one;

4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]butan-2-one;

4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-methylbutan-2-one;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N-dimethylethanesulfonamide;

3-{(2S)-4-(2,5-difluorophenyl)-1-[2-(methylsulfonyl)ethyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol;

methyl 3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoate;

(2S)-4-(2,5-difluorophenyl)-1-[2-(ethylsulfonyl)propyl]-2-phenyl-2,5-dihydro-1H-pyrrole;

3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methylpropanamide;

3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N-dimethylpropanamide;

3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N,2-trimethylpropanamide;

4-{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoyl}morpholine;

1-{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoyl}-4-(methylsulfonyl)piperazine;

1-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}piperidin-4-ol;

methyl 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate;

2-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}oxy)-*N*-ethylacetamide ;

4-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)morpholine;

2-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}-*N*-(2-hydroxyethyl)acetamide;

1-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)-4-methylpiperazine;

1-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)piperazine;

2-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}-*N*-piperidin-4-ylacetamide;

1-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)piperidin-4-amine;

N-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}-3-morpholin-4-yl-3-oxopropan-1-amine;

*N*³-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl)-*N*¹,*N*¹-dimethyl-β-alaninamide; and

((1*S*)-1-{[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]carbonyl}-2,2-dimethylpropyl)(3-morpholin-4-yl-3-oxopropyl)amine;

or a pharmaceutically acceptable salt or stereoisomer thereof.

12. (original) The compound according to Claim 11 which is selected from:

(-)-4-(2,5-difluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
4-(5-chloro-2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
4-(2,5-difluorophenyl)-1-(isopropylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-ol;
1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;
(1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2,2-dimethylpropylamine; and
(2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
or a pharmaceutically acceptable salt or stereoisomer thereof.

13. (original) The compound according to Claim 11 which is selected from:

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
(2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
(1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2,2-dimethylpropylamine;
2-((1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl)amino)-N-ethylacetamide ;

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-methyl-N-(1-methylpiperidin-4-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide; and

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole

or a pharmaceutically acceptable salt or stereoisomer thereof.

14. (original) A compound which is:

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine

(2S)-4-(2,5-difluorophenyl)-1-[(methylsulfonyl)acetyl]-2-phenyl-2,5-dihydro-1H-pyrrole

(2S)-4-(2,5-difluorophenyl)-2-phenyl-1-[(phenylsulfonyl)acetyl]-2,5-dihydro-1H-pyrrole

3-[(2S)-1-[(2S)-2-cyclopropyl-2-hydroxyethanoyl]-4-(2,5-difluorophenyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol

3-{(2S)-4-(2,5-difluorophenyl)-1-[(2S)-2-hydroxy-3,3-dimethylbutanoyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanol

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydrofuran-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(2-methoxyethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide

(2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydro-2H-pyran-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide

3-[(2S)-4-(2,5-difluorophenyl)-1-(piperidin-1-ylcarbonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol

4-(2,5-difluorophenyl)-N-[1-(2-fluoroethyl)piperidin-4-yl]-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide

4-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)piperidinium trifluoroacetate

2-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)ethyl 4-methylpiperazine-1-carboxylate

3-{4-(2,5-difluorophenyl)-1-[(4-methylpiperazin-1-yl)carbonyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol

2-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)ethyl morpholine-4-carboxylate

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-5-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide

2-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)ethyl dimethylaminocarboxylate

2-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methylamino)ethyl piperidine-1-carboxylate

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(2-oxopyrrolidin-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(tetrahydro-2H-pyran-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-{[5-(methoxymethyl)-1H-pyrazol-3-yl]methyl}-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(4-methyl-1,2,5-oxadiazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-2-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-3-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-1,2,4-triazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-pyrazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-5-oxopyrrolidin-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(1-isoxazol-3-ylethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-N-(1,3-dioxolan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-N-(1,4-dioxan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-methyl-1,3,4-oxadiazol-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(methylsulfonyl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide

2-[[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethanesulfonic acid

2-hydroxyethyl (1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2,2-dimethylpropyl]carbamate

3-hydroxypropyl (1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2,2-dimethylpropyl]carbamate

2-hydroxyethyl {(1S)-1-isopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}carbamate

2-hydroxyethyl {(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}carbamate

4-hydroxybutyl (1S)-1-[[[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl]-2,2-dimethylpropyl]carbamate

(2S)-4-(2,5-difluorophenyl)-1-[2-(methylsulfonyl)ethyl]-2-phenyl-2,5-dihydro-1H-pyrrole

(2S)-4-(2,5-difluorophenyl)-1-[2-(ethylsulfonyl)ethyl]-2-phenyl-2,5-dihydro-1H-pyrrole

1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]pentan-3-one

4-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]butan-2-one

4-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-3-methylbutan-2-one

2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*-dimethylethanesulfonamide

3-{(2*S*)-4-(2,5-difluorophenyl)-1-[2-(methylsulfonyl)ethyl]-2,5-dihydro-1*H*-pyrrol-2-yl}phenol

methyl 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate

(2*S*)-4-(2,5-difluorophenyl)-1-[2-(ethylsulfonyl)propyl]-2-phenyl-2,5-dihydro-1*H*-pyrrole

3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*-methylpropanamide

3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*-dimethylpropanamide

3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*,2-trimethylpropanamide

4-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}morpholine

1-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}-4-(methylsulfonyl)piperazine

1-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}piperidin-4-ol

methyl 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate

2-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}oxy)-*N*-ethylacetamide

4-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)morpholine

2-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}-*N*-(2-hydroxyethyl)acetamide

1-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)-4-methylpiperazine

1-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)piperazine

2-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}-*N*-piperidin-4-yl)acetamide

1-({(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)piperidin-4-amine

N-{(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}-3-morpholin-4-yl-3-oxopropan-1-amine

*N*³-{(1*S*)-1-cyclopropyl-2-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}-*N*¹,*N*¹-dimethyl-β-alaninamide

((1*S*)-1-{{(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl}carbonyl}-2,2-dimethylpropyl)(3-morpholin-4-yl-3-oxopropyl)amine

or a pharmaceutically acceptable salt thereof.

15. (original) The compound according to Claim 12 which is the TFA salt of a compound selected from:

2-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]sulfonyl}-*N,N*-dimethylethanamine;

1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;

4-(5-chloro-2-fluorophenyl)-2-phenyl-1-(trifluoroacetyl)-2,5-dihydro-1*H*-pyrrole;

(1*S*)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]carbonyl}-2-methylpropylamine;

(1*R*)-1-{{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]carbonyl}-2-methylpropylamine;

4-(2,5-difluorophenyl)-2-phenyl-1-L-prolyl-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-phenyl-1-D-prolyl-2,5-dihydro-1H-pyrrole;

(4R)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,3-thiazolidine;

methyl (3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutanoate;

(4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-oxopentanamide;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-(methylthio)propylamine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-(methylsulfonyl)propylamine;

(2S)-2-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}piperidine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pentylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(thien-2-ylmethyl)ethylamine;

4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,1-dioxidotetrahydro-2H-thiopyran-4-ylamine;

(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methyl-1-oxopropan-2-amine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}propylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-phenylethanamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-phenylethanamine;

(4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-oxopentanamide

3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-amine;

(1S,2S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylbutylamine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}butylamine;

(1S)-1-cyclopropyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopropanamine;

1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-oxopropan-2-amine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-methyl-2-oxoethylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(pyridin-2-ylmethyl)ethylamine;

(1S)-1-cyclohexyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(4-iodobenzyl)-2-oxoethylamine;

(1S)-1-benzyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylamine;

4-{(2S)-2-amino-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropyl}phenol;

(3S)-3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,2,3,4-tetrahydroisoquinoline;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-phenylpropylamine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-methylbutylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(pyridin-3-ylmethyl)ethylamine;

1-[(2S)-azetidin-2-ylcarbonyl]-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

(3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutanamide;

4-(2,5-difluorophenyl)-1-[(2-methylazetidin-2-yl)carbonyl]-2-phenyl-2,5-dihydro-1H-pyrrole;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylamine;

methyl (4S)-4-amino-5-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-5-oxopentanoate;

4-(2,5-difluorophenyl)-2-phenyl-1-[[2,3S]-2-phenylpyrrolidin-3-yl]carbonyl]-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-phenyl-1-[(5-phenylpyrrolidin-3-yl)carbonyl]-2,5-dihydro-1H-pyrrole;

(2S)-2-amino-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-ol;

(2R,3S)-3-amino-4-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-4-oxobutan-2-ol;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(methoxymethyl)-2-oxoethylamine;

4-(2,5-difluorophenyl)-2-phenyl-1-(pyrrolidin-3-ylcarbonyl)-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-phenyl-1-[(3-phenylpyrrolidin-3-yl)acetyl]-2,5-dihydro-1H-pyrrole;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-difluoropropylamine;

(1S)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxo-1-phenylpropan-1-amine;

4-(2,5-difluorophenyl)-2-phenyl-1-[(4S)-4-phenyl-L-prolyl]-2,5-dihydro-1H-pyrrole;

1-{2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}cyclohexanamine;

2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}piperidin-4-amine;

(1S,3R)-3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;

(1R,4S)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-2-en-1-amine;

(1S,4R)-4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-2-en-1-amine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-ynylamine;

(1R)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxo-1-phenylpropan-1-amine;

3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-phenylpiperidine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-enylamine;

(2S)-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-(methylamino)-3-oxopropan-1-ol;

(3R,5S)-5-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pyrrolidin-3-ol;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxo-1-(1,3-thiazol-4-ylmethyl)ethylamine;

(1R)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-enylamine;

(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,3-dimethyl-1-oxobutan-2-amine;

(2S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,4-dimethyl-1-oxopentan-2-amine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-[(1-methyl-1H-imidazol-4-yl)methyl]-2-oxoethylamine;

4-(2,5-difluorophenyl)-1-(N~6~-formyl-L-lysyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

(2S,3S)-1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,3-dimethyl-1-oxopentan-2-amine;

(1S)-1-(cyclohexylmethyl)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(1H-indol-3-ylmethyl)-2-oxoethylamine;

(1S)-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(isocyanomethyl)-2-oxoethylamine;

(1S)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-dimethylbutylamine;

1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,3-dimethyl-1-oxobutan-2-amine;

1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclohexanamine;

1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;

(1S)-3-(benzyloxy)-1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}propylamine;

1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,3-dimethyl-1-oxobutan-2-amine;

1- {[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent-3-en-1-amine;

(1S)-1-cyclopentyl-2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

4-(2,5-difluorophenyl)-1-(2-methylpropyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

(1S)-2-[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-cyclopropyl-2-oxoethanamine;

(1S,2S)-1- {[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} -2-methylbutylamine;

(1S)-1- {[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} but-3-enylamine;

(1S)-1- {[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} but-3-ynylamine;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;

1-cyclopropyl-3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-amine;

(1S,2S)-1- {[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} -2-methylbutylamine;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-(2-methylalanyl)-2,5-dihydro-1H-pyrrole;

3-[1-[(2S)-2-amino-2-cyclopropylethanoyl]-4-(5-chloro-2-fluorophenyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;

4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-isoleucyl-2,5-dihydro-1H-pyrrole;

(2S)-4-(2,5-Difluorophenyl)-N-methyl-2-phenyl-N-(piperidin-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-Chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3R)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3S)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-pyrrolidin-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-N-(1-allylpiperidin-4-yl)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-Difluorophenyl)-N-methyl-N-[(1-methylpiperidin-3-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(pyridin-3-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-[2-(dimethylamino)ethyl]-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(2-pyridin-2-ylethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S)-1-[4-(2,5-difluorophenyl)-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-methyl-1-oxobutan-2-amine;

N-1-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-N-2,N-2-dimethylglycinamide;

N-1-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-N-2-methylglycinamide;

N-1-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]glycinamide;

N-1-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-2-methylalaninamide;

N-[(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl]-2-pyrrolidin-1-ylacetamide;

2-azetidin-1-yl-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}acetamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-morpholin-4-ylacetamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-piperazin-1-ylacetamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(4-methylpiperazin-1-yl)acetamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-isopropylglycinamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}piperazine-1-carboxamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-piperidin-4-ylurea;

4-amino-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}piperidine-1-carboxamide;

N-(2-aminoethyl)-N'-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}urea;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-(3-morpholin-4-ylpropyl)urea;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-[2-(dimethylamino)ethyl]urea;

2-azetidin-1-yl-N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}ethanesulfonamide

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(isopropylamino)ethanesulfonamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-pyrrolidin-1-ylethanesulfonamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-morpholin-4-ylethanesulfonamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-piperazin-1-ylethanesulfonamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-(4-methylpiperazin-1-yl)ethanesulfonamide;

N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylacetamide;

(2S)-1-(2-azetidin-1-yl-2-oxoethyl)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

(2S)-4-(2,5-difluorophenyl)-1-(2-oxo-2-pyrrolidin-1-ylethyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

4-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}morpholine;

1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}piperazine;

1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}-4-methylpiperazine;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylbutanamide;

4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]butanoyl}morpholine;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylacetamide;

N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylpropanamide;

N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methylpropanamide;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylpropanamide;

N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;

4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoyl}morpholine;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethyl-2,2-dimethyl-4-oxobutanamide;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxo-N-piperidin-4-ylbutanamide;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxobutanoic acid;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N,2,2-tetramethyl-4-oxobutanamide;

(1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethyl-3-oxo-3-piperazin-1-ylpropylamine;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropyl-2,2-dimethyl-4-oxobutanamide;

(3S)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,2,2-trimethyl-4-oxobutanamide;

(3R)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N,2,2-tetramethyl-4-oxobutanamide;

(3R)-3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2,2-dimethyl-4-oxobutanoic acid;

(1R)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethyl-3-oxo-3-piperazin-1-ylpropylamine

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 4-methylpiperazine-1-carboxylate;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl 1-methylpiperidin-4-ylcarbamate;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylmethyl(1-methylpiperidin-4-yl)carbamate;

(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl-4-dimethylamino)piperidine-1-carboxylate;

(2S)-N,N-dimethyl-4-(4-methylpyridin-3-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]acetyl}morpholin-4-ium;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

2-[[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl](methyl)amino]ethyl-4-methylpiperazine-1-carboxylate;

3-{4-(2,5-difluorophenyl)-1-[(4-methylpiperazin-1-yl)carbonyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluoro-phenyl)-2,5-dihydro-2-(3-hydroxyphenyl)-N-methyl-N--[2-(4-methyl-1-piperazinyl)-2-oxoethyl]-H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-{[5-(methoxymethyl)-1H-pyrazol-3-yl]methyl}-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-2-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-1,2,4-triazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-pyrazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]butan-2-one;
4-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-3-methylbutan-2-one;
3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*-methylpropanamide;
3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*-dimethylpropanamide;
3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N,N*,2-trimethylpropanamide;
4-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}morpholine;
1-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}-4-(methylsulfonyl)piperazine;
1-{3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}piperidin-4-ol; and
methyl 3-[(2*S*)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate.

16. (original) A pharmaceutical composition that is comprised of a compound in accordance with Claim 1 and a pharmaceutically acceptable carrier.

17. (original) A method of treating or preventing cancer in a mammal in need of such treatment that is comprised of administering to said mammal a therapeutically effective amount of a compound of Claim 1.

18. (original) A method of treating cancer or preventing cancer in accordance with Claim 17 wherein the cancer is selected from cancers of the brain, genitourinary tract, lymphatic system, stomach, larynx and lung.

19. (original) A method of treating or preventing cancer in accordance with Claim 17 wherein the cancer is selected from histiocytic lymphoma, lung adenocarcinoma, small cell lung cancers, pancreatic cancer, glioblastomas and breast carcinoma.

20. (cancelled)

21. (cancelled)

22. (cancelled)

23. (cancelled)

24. (cancelled)

25. (cancelled)

26. (cancelled)

27. (cancelled)

28. (cancelled)

29. (original) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy.

30. (original) A method of treating or preventing cancer that comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a compound selected from:

- 1) an estrogen receptor modulator,
- 2) an androgen receptor modulator,
- 3) a retinoid receptor modulator,
- 4) a cytotoxic/cytostatic agent,
- 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,

- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor,
- 10) an angiogenesis inhibitor,
- 11) PPAR- γ agonists,
- 12) PPAR- δ agonists,
- 13) an inhibitor of inherent multidrug resistance,
- 14) an anti-emetic agent,
- 15) an agent useful in the treatment of anemia,
- 16) an agent useful in the treatment of neutropenia,
- 17) an immunologic-enhancing drug,
- 18) an inhibitor of cell proliferation and survival signaling, and
- 19) an agent that interferes with a cell cycle checkpoint.

31. (original) A method of treating cancer that comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy and a compound selected from:

- 1) an estrogen receptor modulator,
- 2) an androgen receptor modulator,
- 3) a retinoid receptor modulator,
- 4) a cytotoxic/cytostatic agent,
- 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor,
- 10) an angiogenesis inhibitor,
- 11) PPAR- γ agonists,
- 12) PPAR- δ agonists,
- 13) an inhibitor of inherent multidrug resistance,
- 14) an anti-emetic agent,
- 15) an agent useful in the treatment of anemia,
- 16) an agent useful in the treatment of neutropenia,

- 17) an immunologic-enhancing drug,
- 18) an inhibitor of cell proliferation and survival signaling, and
- 19) an agent that interferes with a cell cycle checkpoint.

32. (original) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 and paclitaxel or trastuzumab.

33. (cancelled)

34. (cancelled)

35. (cancelled)

36. (original) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a proteasome inhibitor.

37. (original) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with an aurora kinase inhibitor.

38. (original) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a Raf kinase inhibitor.

39. (original) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a serine/threonine kinase inhibitor.

40. (original) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with an inhibitor of a mitotic kinesin that is not KSP.

41. (original) A method of modulating mitotic spindle formation which comprises administering a therapeutically effective amount of a compound of Claim 1.

42. (original) A method of inhibiting the mitotic kinesin KSP which comprises administering a therapeutically effective amount of a compound of Claim 1.